

MOST POPULAR VARIETIES FOR 2003

VARIETIES BY STATE

LOCATION	VARIETY	PERCENT OF ACREAGE
<i>(SOUTHEAST)</i>		
Virginia	<i>Deltapine DP 451 B/RR</i>	34
North Carolina	<i>Deltapine DP 451 B/RR</i>	25
South Carolina	<i>Deltapine DP 555 BG/RR</i>	35
Georgia	<i>Deltapine DP 555 BG/RR</i>	34
Florida	<i>Deltapine DP 555 BG/RR*</i>	34
Alabama	<i>Deltapine DP 451 B/RR</i>	14
<i>(MIDSOUTH)</i>		
Louisiana	<i>Deltapine DP 555 BG/RR</i>	34
Mississippi	<i>Stoneville ST 4892BR</i>	27
Arkansas	<i>Stoneville ST 4892BR</i>	30
Tennessee	<i>Paymaster PM 1218 BG/RR</i>	55
Missouri	<i>Stoneville ST 4892BR</i>	34
<i>(SOUTHWEST)</i>		
Texas	<i>BCS FiberMax FM958 / Paymaster PM 2326 RR**</i>	10
Oklahoma	<i>Deltapine DP 655 B/RR</i>	13
Kansas	<i>Paymaster 2145 RR</i>	58
<i>(FAR WEST)</i>		
New Mexico	<i>Acala 1517-99</i>	17
Arizona	<i>Deltapine DP 449 BG/RR</i>	37
California	<i>Phytogen PHY 72 Acala</i>	41

*Deltapine 458 B/RR was a close second, with 33% of the acres planted in Florida

**FM 958 and PM 2326 RR each accounted for 10% of the acres planted in Texas

Source: USDA AMS – Cotton Program

Estimates of the percentage of the various varieties of cotton planted in the United States for 2003 were based on informal surveys made by the Cotton Program Classing Offices. Those surveyed included ginners, seed dealers, extension agents, and other knowledgeable sources.

FIBER QUALITY RESEARCH

COTTON INCORPORATED

MOST POPULAR VARIETIES FOR 2003

PERCENT TRANSGENIC BY STATE

LOCATION	PERCENT OF ACREAGE
<i>(SOUTHEAST)</i>	
Virginia	96
North Carolina	96
South Carolina	98
Georgia	92
Florida	100
Alabama	91
<i>(MIDSOUTH)</i>	
Louisiana	92
Mississippi	98
Arkansas	96
Tennessee	99
Missouri	91
<i>(SOUTHWEST)</i>	
Texas	56
Oklahoma	95
Kansas	97
<i>(FAR WEST)</i>	
New Mexico	50
Arizona	83
California	42

Source: USDA AMS – Cotton Program

Estimates of the percentage of the various varieties of cotton planted in the United States for 2003 were based on informal surveys made by the Cotton Program Classing Offices. Those surveyed included ginners, seed dealers, extension agents, and other knowledgeable sources.

FIBER QUALITY RESEARCH

COTTON INCORPORATED

MOST POPULAR VARIETIES FOR 2003

VARIETIES BY REGION

LOCATION	VARIETY	PERCENT OF ACREAGE
<i>(SOUTHEAST)</i>		
Florence	<i>Deltapine DP 541 B/RR</i>	21
Macon	<i>Deltapine DP 555 BG/RR</i>	33
Birmingham	<i>Deltapine DP 555 BG/RR</i>	14
<i>(MIDSOUTH)</i>		
Rayville	<i>Deltapine DP 555 BG/RR</i>	31
Memphis	<i>Paymaster PM 1218 BG/RR</i>	28
Dumas	<i>Stoneville ST 4892BR</i>	26
<i>(SOUTH TEXAS)</i>		
Corpus Christi	<i>BCS FiberMax FM 832</i>	43
<i>(WEST TEXAS)</i>		
Abilene	<i>Deltapine DP 5415RR</i>	7
Lubbock	<i>Paymaster PM 2326 RR / BCS FiberMax FM 958*</i>	18
Lamesa	<i>BCS FiberMax FM 958</i>	11
<i>(CA-AZ)</i>		
Phoenix	<i>Deltapine DP 449 BG/RR</i>	29
<i>(SJV)</i>		
Visalia	<i>Phytogen PHY 72 Acala</i>	43

*PM 2326 RR and FM 958 each accounted for 18% of the acres planted in the area classed by Lubbock

Source: USDA AMS – Cotton Program

Estimates of the percentage of the various varieties of cotton planted in the United States for 2003 were based on informal surveys made by the Cotton Program Classing Offices. Those surveyed included ginners, seed dealers, extension agents, and other knowledgeable sources.

FIBER QUALITY RESEARCH

COTTON INCORPORATED