

MOST POPULAR VARIETIES FOR 2007

VARIETIES BY STATE

LOCATION	VARIETY	PERCENT OF ACREAGE
<i>(SOUTHEAST)</i>		
Virginia	<i>Deltapine DP 444 BG/RR</i>	44
North Carolina	<i>Deltapine DP 444 BG/RR</i>	20
South Carolina	<i>Deltapine DP 555 BG/RR</i>	62
Georgia	<i>Deltapine DP 555 BG/RR</i>	84
Florida	<i>Deltapine DP 555 BG/RR</i>	96
Alabama	<i>Deltapine DP 555 BG/RR</i>	60
<i>(MIDSOUTH)</i>		
Louisiana	<i>Deltapine DP 555 BG/RR</i>	54
Mississippi	<i>Deltapine DP 555 BG/RR</i>	30
Arkansas	<i>Deltapine DP 445 BG/RR</i>	27
Tennessee	<i>Deltapine DP 444 BG/RR</i>	46
Missouri	<i>Stoneville ST4554 B2RF</i>	46
<i>(SOUTHWEST)</i>		
Texas	<i>BCS Fibermax FM 9063 B2F</i>	12
Oklahoma	<i>Stoneville ST4554 B2RF</i>	27
Kansas	<i>Paymaster PM 2140 B2RF</i>	26
<i>(FAR WEST)</i>		
New Mexico	<i>BCS Fibermax FM 989 B2R</i>	13
Arizona	<i>Deltapine DP 455 BG/RR</i>	21
California	<i>Phytogen PHY 725 RF</i>	47

Source: USDA AMS – Cotton Program

Estimates of the percentage of the various varieties of cotton planted in the United States for 2007 were based on informal surveys made by the Cotton Program Classing Offices. Those surveyed included ginners, seed dealers, extension agents, and other knowledgeable sources.

MOST POPULAR VARIETIES FOR 2007

PERCENT TRANSGENIC BY STATE

LOCATION	PERCENT OF ACREAGE
<i>(SOUTHEAST)</i>	
Virginia	99
North Carolina	99
South Carolina	100
Georgia	98
Florida	99
Alabama	94
<i>(MIDSOUTH)</i>	
Louisiana	100
Mississippi	100
Arkansas	100
Tennessee	100
Missouri	100
<i>(SOUTHWEST)</i>	
Texas	86
Oklahoma	99
Kansas	100
<i>(FAR WEST)</i>	
New Mexico	95
Arizona	94
California	71

Source: USDA AMS – Cotton Program

Estimates of the percentage of the various varieties of cotton planted in the United States for 2007 were based on informal surveys made by the Cotton Program Classing Offices. Those surveyed included ginners, seed dealers, extension agents, and other knowledgeable sources.

MOST POPULAR VARIETIES FOR 2007

VARIETIES BY REGION

LOCATION	VARIETY	PERCENT OF ACREAGE
<i>(SOUTHEAST)</i>		
Florence	<i>Deltapine DP 555 BG/RR</i>	20
Macon	<i>Deltapine DP 555 BG/RR</i>	84
Birmingham	<i>Deltapine DP 555 BG/RR</i>	66
<i>(MIDSOUTH)</i>		
Rayville	<i>Deltapine DP 555 BG/RR</i>	54
Memphis	<i>Stoneville ST 4554 B2RF</i>	28
Dumas	<i>Deltapine DP 555 BG/RR</i>	27
<i>(SOUTH TEXAS)</i>		
Corpus Christi	<i>BCS Fibermax FM 832</i>	18
<i>(WEST TEXAS)</i>		
Abilene	<i>BCS Fibermax FM 960 B2R</i>	23
Lubbock	<i>BCS Fibermax FM 9063 B2F</i>	20
Lamesa	<i>BCS Fibermax FM 958</i>	21
<i>(CA-AZ)</i>		
Phoenix	<i>Deltapine DP 455 BG/RR</i>	17
<i>(SJV)</i>		
Visalia	<i>Phytogen PHY 725 RF</i>	50

Source: USDA AMS – Cotton Program

Estimates of the percentage of the various varieties of cotton planted in the United States for 2007 were based on informal surveys made by the Cotton Program Classing Offices. Those surveyed included ginners, seed dealers, extension agents, and other knowledgeable sources.