

MOST POPULAR VARIETIES FOR 2009

VARIETIES BY STATE

LOCATION	VARIETY	PERCENT OF ACREAGE
<i>(SOUTHEAST)</i>		
Virginia	<i>Phytogen PHY 375 WRF</i>	42
North Carolina	<i>Phytogen PHY 375 WRF</i>	21
South Carolina	<i>Deltapine DP 555 BG/RR</i>	31
Georgia	<i>Deltapine DP 555 BG/RR</i>	82
Florida	<i>Deltapine DP 555 BG/RR</i>	86
Alabama	<i>Deltapine DP 555 BG/RR</i>	65
<i>(MIDSOUTH)</i>		
Louisiana	<i>Deltapine DP 555 BG/RR</i>	36
Mississippi	<i>BCS ST 5458 B2F</i>	21
Arkansas	<i>BCS ST 5458 B2F</i>	14
Tennessee	<i>Phytogen PHY 375 WRF</i>	41
Missouri	<i>BCS ST4554 B2RF</i>	30
<i>(SOUTHWEST)</i>		
Texas	<i>BCS Fibermax FM 9058 F</i>	19
Oklahoma	<i>Deltapine DP 104 B2RF</i>	13
Kansas	<i>Americot NG 1551 RF</i>	44
<i>(FAR WEST)</i>		
New Mexico	<i>Deltapine DP 164 B2RF</i>	39
Arizona	<i>Deltapine DP 164 B2RF</i>	25
California	<i>Phytogen PHY 725 RF Acala</i>	42

Source: USDA AMS – Cotton Program

Estimates of the percentage of the various varieties of cotton planted in the United States for 2009 were based on informal surveys made by the Cotton Program Classing Offices. Those surveyed included ginners, seed dealers, extension agents, and other knowledgeable sources.

MOST POPULAR VARIETIES FOR 2009

PERCENT TRANSGENIC BY STATE

LOCATION	PERCENT OF ACREAGE
<i>(SOUTHEAST)</i>	
Virginia	100
North Carolina	100
South Carolina	100
Georgia	99
Florida	97
Alabama	96
<i>(MIDSOUTH)</i>	
Louisiana	100
Mississippi	100
Arkansas	99
Tennessee	98
Missouri	100
<i>(SOUTHWEST)</i>	
Texas	90
Oklahoma	98
Kansas	99
<i>(FAR WEST)</i>	
New Mexico	100
Arizona	99
California	89

Source: USDA AMS – Cotton Program

Estimates of the percentage of the various varieties of cotton planted in the United States for 2009 were based on informal surveys made by the Cotton Program Classing Offices. Those surveyed included ginners, seed dealers, extension agents, and other knowledgeable sources.

MOST POPULAR VARIETIES FOR 2009

VARIETIES BY REGION

LOCATION	VARIETY	PERCENT OF ACREAGE
<i>(SOUTHEAST)</i>		
Florence	<i>Phytogen PHY 375 WRF</i>	19
Macon	<i>Deltapine DP 555 BG/RR</i>	83
Birmingham	<i>Deltapine DP 555 BG/RR</i>	67
<i>(MIDSOUTH)</i>		
Rayville	<i>Deltapine DP 555 BG/RR</i>	36
Memphis	<i>Phytogen PHY 375 WRF</i>	18
Dumas	<i>BCS ST 5458 B2F</i>	17
<i>(SOUTH TEXAS)</i>		
Corpus Christi	<i>Deltapine DP 161 B2RF</i>	14
<i>(WEST TEXAS)</i>		
Abilene	<i>BCS Fibermax FM 9063 B2F</i>	25
Lubbock	<i>BCS Fibermax FM 9058 F</i>	30
Lamesa	<i>BCS Fibermax FM 958</i>	25
<i>(CA-AZ)</i>		
Visalia	<i>Deltapine DP 164 B2RF</i>	23
<i>(SJV)</i>		
Visalia	<i>Phytogen PHY 725 RF Acala</i>	11

Source: USDA AMS – Cotton Program

Estimates of the percentage of the various varieties of cotton planted in the United States for 2009 were based on informal surveys made by the Cotton Program Classing Offices. Those surveyed included ginners, seed dealers, extension agents, and other knowledgeable sources.